



INTERMODAL
ISO & BS7072 CERTIFIED CONTAINERS



10RF - 10ft ISO Reefer Container

Gross weight: 15,000 kgs, 33,070 lbs
 Payload: 13,020 kgs, 28,700 lbs
 Temperature range: -40°C to +25°C
 (machinery dependant)



20RF - 20ft ISO Reefer Container

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 27,560 kgs, 60,760 lbs
 Temperature range: -40°C to +25°C
 (machinery dependant)



40RH - 40ft ISO Reefer Container

Gross weight: 34,000 kgs, 74,960 lbs
 Payload: 28,900 kgs, 63,720 lbs
 Temperature range: -40°C to +25°C
 (machinery dependant)



20ft Superfreeze ISO Container

Gross weight: 24,000 kgs, 52,910 lbs
 Payload: 19,500 kgs, 42,990 lbs
 Temperature range: Capable of -70°C
 Butcher door with 1100mm width



20ft Dual Temperature Reefer

Gross weight: 24,000 kgs, 52,910 lbs
 Payload: 20,780 kgs, 45,810 lbs
 Temperature range: -40°C to +25°C
 Personnel door, movable partition wall



40ft Dual Temperature Reefer

Gross weight: 34,000 kgs, 74,960 lbs
 Payload: 28,900 kgs, 63,720 lbs
 Temperature range: -40°C to +25°C
 Personnel door, movable partition wall



10RFE - 10ft Event Reefer Container

Gross weight: 15,000 kgs, 33,070 lbs
 Payload: 13,020 kgs, 28,700 lbs
 Temperature range: -40°C to +25°C
 Flat chequer plate flooring, easy open door



20RFE - 20ft Event Reefer Container

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 27,690 kgs, 61,050 lbs
 Temperature range: -40°C to +25°C
 Flat chequer plate flooring, easy open door



40RHE - 10ft ISO Reefer Container

Gross weight: 34,000 kgs, 74,960 lbs
 Payload: 29,460 kgs, 64,950 lbs
 Temperature range: -40°C to +25°C
 Flat chequer plate flooring, easy open door



10ft BS7072 Reefer Container

Gross weight: 10,000 kgs, 22,046 lbs
 Payload: 7,880 kgs, 17,372 lbs
 Temperature Range: -25°C to +25°C



Clip-On Genset

Direct injection 2.2 litre diesel engine 15KW,
 18.75 KVA 460 VAC, 3 phase 60 Hz.
 Disc type radial fan for cooling. Sealed large
 diameter rear bearing



BlizzardStore Reefer Container

Cubic capacity: 67m³, 2,367ft³
 Temperature Range: -40°C to +30°C
 Modular cold storage solution that can be
 upsized and downsized easily



20ft BS7072 Reefer Container

Gross weight: 13,400 kgs, 29,541 lbs
 Payload: 10,000 kgs, 22,046 lbs
 Temperature Range: -25°C to +25°C



40ft BS7072 Reefer Container

Gross weight: 11,900 kgs, 26,180 lbs
 Payload: 10,420 kgs, 22,924 lbs
 Temperature Range: -25°C to +25°C



20FT Zone 2 Hazardous Area Reefer

Gross weight: 14,200 kgs, 31,306 lbs
 Payload: 9,820 kgs, 21,649 lbs
 Temperature Range: -22°C to +22°C
 Explosion proof units are ATEX compliant

Reefer containers are designed to maintain a specific temperature for the storage or transportation of perishable goods, such as food or medical supplies.

Our Intermodal Reefers are ISO certified and CSC plated. We also offer BS7072 Reefers complete with corner castings alongside padeyes/slings.

Event Reefers have additional safety features including a safety door with internal release, and internal lighting.



10DV - 10ft Dry ISO Container

Gross weight: 11,900 kgs, 26,180 lbs
Payload: 10,420 kgs, 22,924 lbs
ISO certified and CSC plated for transporting by rail, sea and road



20DV - 20ft Dry ISO Container

Gross weight: 30,480 kgs, 67,200 lbs
Payload: 28,400 kgs, 62,611 lbs
ISO certified and CSC plated for transporting by rail, sea and road



40DV - 40ft Dry ISO Container

Gross weight: 32,500 kgs, 71,650 lbs
Payload: 28,400 kgs, 62,611 lbs
ISO certified and CSC plated for transporting by rail, sea and road



20HC - 20ft High Cube Container

Gross weight: 30,480 kgs, 67,200 lbs
Payload: 28,210 kgs, 62,196 lbs
9' 6" height, giving an extra foot of vertical space compared to standard 8' 6" containers



40ft Dry, High Cube ISO Container

Gross weight: 32,500 kgs, 71,650 lbs
Payload: 28,740 kgs, 63,360 lbs
9' 6" height, giving an extra foot of vertical space compared to standard 8' 6" containers



20ft Open Side ISO Container

Gross weight: 30,480 kgs, 67,200 lbs
Payload: 27,230 kgs, 60,030 lbs
Full length side door in addition to the front door for simpler loading and unloading



40ft Open Side ISO Container

Gross weight: 30,480 kgs, 67,200 lbs
Payload: 23,900 kgs, 52,690 lbs
Full length side door in addition to the front door for simpler loading and unloading



20ft Double Door ISO Container

Gross weight: 30,480 kgs, 67,200 lbs
Payload: 28,140 kgs, 62,040 lbs
Lockable doors on both ends for loading when space is tight (Available in 40ft)

Open top and flat-rack containers for transporting oversized or bulky cargo, or for vertical loading



20FB - 20ft Platform ISO Container

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 28,680 kgs, 63,230 lbs
 Useful odd sized or shaped goods that may not fit in other types of containers



40FB - 40ft Platform ISO Container

Gross weight: 45,000 kgs, 99,210 lbs
 Payload: 39,300 kgs, 86,640 lbs
 Useful odd sized or shaped goods that may not fit in other types of containers



20FF - 20ft Flush Folding Flat Rack

Gross weight: 34,000 kgs, 74,950 lbs
 Payload: 31,200 kgs, 68,784 lbs
 Suitable for odd sized or shaped good. End walls fold flush allowing for simpler shipping



40FF - 40ft Flush Folding Flat Rack

Gross weight: 52,500 kgs 115,742 lbs
 Payload: 47,400 kgs 104,500 lbs
 Suitable for odd sized or shaped good. End walls fold flush allowing for simpler shipping



20OT - 20ft Open Top

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 28,330 kgs, 62,456 lbs
 With a tarpaulin in place of a solid roof, meaning they can be loaded vertically



40OT - 40ft Open Top

Gross weight: 32,500kgs, 71,650 lbs
 Payload: 28,850 kgs, 63,603 lbs
 With a tarpaulin in place of a solid roof, meaning they can be loaded vertically



20HT - 20ft Hard Top, Open Top

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 27,590 kgs, 60,825 lbs
 With a solid removable roof allowing for vertical loading



40HT - 40ft Hard Top, Open Top

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 25,580 kgs, 56,397 lbs
 With a solid removable roof allowing for vertical loading



Bitumen Carrying ISO Container

Gross weight: 26,000 kgs, 57,320 lbs
 Payload: 20,250 kgs, 44,644 lbs
 Specialised unit for hot liquid bitumen and other liquids that require temperature control



Fuel Delivery & Storage Container

Double walled carbon steel tank approved to UL 142 or ULCS-601 Capacity: 31,000L
 Perfect for on-site storage of diesel or as a re-locatable fuel distribution centre



Half Height BK2 Container

External Dimensions: 6m x 2.43m x 1.45m (h)
 20' x 8' x 4' 9"
 Gross weight: 33,000 kgs, 72,750 lbs
 Payload: 29,850 kgs, 65,810 lbs



20ft Coal Carrying ISO Container

Gross weight: 31,000 kgs, 68,343 lbs
 Payload: 28,000 kgs, 61,729 lbs
 Suitable for coal as well as other mining cargo types, with open top and tipping hatch



20ft Palletwide Bulker Container

Gross weight: 34,850 kgs, 76,831 lbs
 Payload: 31,870 kgs, 70,261 lbs
 BK2 certified with roof loading hatches, bleed hatches and full discharge hatch



Accommodation Unit (Exterior)

Durable and stackable with doors, windows, insulation and other interior features
 20ft version can fit 1-2 people
 40ft version fits 3-6 people



Accommodation Unit (Interior)

Interior features can be fitted out according to specification.



Site Office

Durable and stackable site office with doors, windows, insulation and other interior features. Easily transportable, can be fitted out according to specification

Cargostore supplies a wide range of additional containers from ISO certified tanks through to hazardous goods containers



10ft Dangerous Goods Container

Gross weight: 11,900 kgs, 26,180 lbs
 Payload: 10,420 kgs, 22,924 lbs
 With a bunded floor for spillage of chemicals and ventilation for dispersal of fumes



20ft Dangerous Goods Container

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 28,295 kgs, 62,380 lbs
 With a bunded floor for spillage of chemicals and ventilation for dispersal of fumes



20ft Dangerous Goods Open Side

Gross weight: 24,000 kgs, 52,910 lbs
 Payload: 21,170 kgs, 46,670 lbs
 Side door for efficient loading. Bunded floor for spillage and ventilation for fumes



40ft Dangerous Goods Container

Gross weight: 30,480 kgs, 67,200 lbs
 Payload: 28,295 kgs, 62,380 lbs
 With a bunded floor for spillage of chemicals and ventilation for dispersal of fumes



24KL Tank ISO Container

Capacity: 24,000L, 6,341 Gallons
 Payload: 32,255kgs, 71,107lbs
 Safe storage and transportation of chemicals, liquids and other hazardous or non-hazardous materials



T11 Tank ISO Container

Capacity: Up to 26,000 L or 6,870 US Gallons
 Gross weight: 36,000 kgs, 79,365 lbs



20ft Secure Storage Unit

Complies with Home Office Legislation
 Conforms with JSP440 requirements
 Steel outer skin
 Mesh steel liner



20ft Tri-Con Unit

Gross weight: 6,760kgs, 14,900lbs
 Payload: 5,630kgs, 12,410lbs
 Small units that join to form a TEU that can be divided and moved around on location



The world's first single-point lift,
built for purpose offshore toilet.

Not a favour. Just fair.

DESIGN & DIMENSIONS

- Weight: 212 kgs
- Height: 2200 mm
- Width: 1092 mm
- Construction: One-piece monocoque rotomolded design using recyclable, durable LLDPE (Linear Low-Density Polyethylene)
- No external aluminium frame: reducing weight, corrosion risk and inspection complexity

Single point lift | Lightweight | Drop proof | Sealed waste tank | Running hot water | Eco friendly |
Recyclable waste bag | Gender friendly | Ultra durable | Suitable for freezing temperature conditions
| Ergonomic raised toilet seat | Patented magnetic toilet lid | Solar powered lights | Easy to clean.



OUR OFFICES

LONDON (Head Office)

The Old Exchange, 12 Compton Road,
Wimbledon, London, SW19 7QD,
U.K

+44 (0) 208 879 1900
offshore@cargostore.com

ABERDEEN (Office and Service Yard)

Birchmoss Plant & Storage Depot,
Echt, Westhill, AB32 6XL,
U.K

+44 (0) 133 086 1016

ABU DHABI (Office)

Cargostore Containers LLC,
Office no. 13, 12th Floor,
Capital Business Center,
Prestige Tower, Mohamed Bin Zayed City
Abu Dhabi, U.A.E

+971 54 79 44244
uaesales@cargostore.com

OUR DEPOT NETWORK

U.K

London – HEAD OFFICE
Aberdeen – OFFICE
Glasgow – OFFICE
Birmingham
Bristol
Essex
Felixtowe
Great Yarmouth
Hull
Kent
Leeds
Liverpool
Manchester
Southampton
Teeside
West Midlands

EUROPE

Eemshaven, Netherlands
Rotterdam, Netherlands
Den Helder, Netherlands
IJmuiden, Netherlands
Sassnitz, Neu Mukran, Germany
Emden, Germany
Cuxhaven, Germany
Esbjerg, Denmark
Gdynia, Poland

MIDDLE EAST

Abu Dhabi, UAE – OFFICE
Dubai, UAE
Doha, Qatar
Dammam, Saudi Arabia
Kuwait
Oman

AFRICA

Accra, Ghana
Mombasa, Kenya
Pemba, Mozambique
Walvis Bay, Namibia
Dar es Salaam, Tanzania

AMERICAS

Ciudad del Carmen, Mexico
Altamira, Mexico
Port of Providence, Rhode Island
Houston, Texas
Morgan City, Louisiana
Port Fourchon, Louisiana

ASIA

Taichung, Taiwan
Hong Kong

MEDITERRANEAN

Limassol, Cyprus
Malta



sales@cargostore.com
cargostore.com